

## EU CERTIFICATE OF CONFORMITY

In accordance with the requirements of the Pressure Equipment Directive  
2014/68/EU.

This is to certify that the Quality Management System of:

**Barton Firtop Engineering Co Limited**  
**Silverwoods Way, Kidderminster**  
**Worcestershire**  
**United Kingdom**

has been assessed against the requirements of Annex III, Module D1 of the  
above Directive and conforms to the requirements for the products shown  
below:

### **Manufacture of Filters, Strainers, Coalescers and Associated Assemblies**

Approval is subject to the continued maintenance of the quality system in  
accordance with the requirements of the above Directive for the product(s)  
listed on the attached schedule.

Authorisation is hereby given to use the Notified Body Identification Number  
in accordance with the requirements of the specified Directive in relation to  
the products as identified above.

Certificate No.: 0343/PED/BHM/COV0512968/1  
Original Approval: 09 May 2002  
Current Issue: 05 July 2023  
Certificate Expiry: 31 January 2026  
Notified Body No. 0343



S. M. Williams on behalf of LRQA Nederland B.V.

## CERTIFICATE SCHEDULE

### 0343/PED/BHM/COV0512968/1

In accordance with the requirements of the Pressure Equipment Directive  
2014/68/EU

Product Description	Materials	Size Range	Design Codes (1)	Class Ratings
Firplex Strainers	CARBON STEEL	1½" - 6"	ASME VIII Div. 1 ASME B31.3	150lb & PN16
Firplex Strainers	STAINLESS STEEL A351 CF8M	1½" - 6"		150lb & PN16
1440 PSI Y-Type Strainers NPT	CARBON STEEL A216 WCB	1½" & 2"		600lb
1440 PSI Y-Type Strainers BSPT	CARBON STEEL A216 WCB	1½" & 2"		600lb
1440 PSI Y-Type Strainers Socket Weld	CARBON STEEL A216 WCB	1½" & 2"		600lb
1440 PSI Y-Type Strainers NPT	STAINLESS STEEL A351 CF8M	1½" & 2"		600lb
1440 PSI Y-Type Strainers BSPT	STAINLESS STEEL A351 CF8M	1½" & 2"		600lb
1440 PSI Y-Type Strainers Socket Weld	STAINLESS STEEL A351 CF8M	1½" & 2"		600lb
1480 PSI Y-Type Strainers NPT (3mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		600lb
1480 PSI Y-Type Strainers BSPT (3mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		600lb
1480 PSI Y-Type Strainers Socket Weld (3mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		600lb
1975 PSI Y-Type Strainers NPT (1.5mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		800lb
1975 PSI Y-Type Strainers BSPT (1.5mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		800lb
1975 PSI Y-Type Strainers Socket Weld (1.5mm Corrosion Allowance)	CARBON STEEL A216 WCB	1¼", 1½" & 2"		800lb
1500LB R/F Y-Type Strainer	LOW TEMP CARBON STEEL A352 LCB/LCC	2"		ASME VIII Div. 1 ASME B16.5
R/F Flanged T-Type Strainer	ASTM A403 WP316(L) ASTM A234 WPB	1½" to 10"	ASME B31.3 ASME B16.5	150lb, 300lb 600lb

LRQA Nederland B.V. (Reg. no. 24247948) is a private limited company registered in the Netherlands with registered office at George Hintzenweg 77, 3068 AX Rotterdam. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Notes:

(1) Generally, in accordance with ASME VIII Division 1, ASME B31.3 and ASME B16.5

Schedule Issue: 03

Date of Schedule Issue: 05 July 2023

Notified Body No. 0343



S. M. Williams on behalf of LRQA Nederland B.V.

LRQA Nederland B.V. (Reg. no. 24247948) is a private limited company registered in the Netherlands with registered office at George Hintzenweg 77, 3068 AX Rotterdam. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.